

Plant ID Guide





Angelonia Heiaht

1 to 2 feet Exposure Part sun to sun

Angel Mist/Summer Snapdragon

Cultural Blooms from spring to summer, spreading annual

9 to 11

Ascot Rainbow Spurge | Euphorbia x martini

Zone



1 to 3 feet Height

Part shade to full sun 2 to 6+ hrs. Exposure Cultural

Loam, sandy, or shallow rocky

soil; any soil pH; good draining soil

7one 6a to 11b

Can cause contact dermatitis. The milky sap

can cause eye irritation, temporary blindness, and skin burning/rashes.

Blue Butterfly Flower

Clerodendrum Bush Blue Butterfly 2 to 4 feet Height

9 to 10

Exposure Full sun Ever bloomer Cultural

Zone



Blue Daze | Evolvulus glomeratus 6 inches to 1.5 feet Heiaht

Full sun 6+ hrs. Exposure Well draining soil Cultural

Zone 8a to 11b If it is overwintered, water sparingly. Flowers tend to grow horizontally and downward in hanging baskets. The flowers close at night



Bush Penta Arachnothryx leucophylla

and on cloudy days.

Height 12 to 20 feet Exposure Part to full sun for 2 to 6+ hrs.

Cultural Fertile loamy soils; moist, well draining soils

9b to 12 Zone



Butterfly Bush Buddleja davidii

5 to 12 feet Height Exposure Full sun 6+ hrs.

Cultural Clay, loam, neutral pH Zone 5a to 9a



Calibrachoa or Million Bells Calibrachoa x hybrida

Height 3 to 9 inches

Exposure Part shade to full sun 2 to 6+ hrs. Loam soil, high in organic Cultural

matter, with good drainage

7a to 11b Zone



Coleus | Coleus scutellarioides

Height 6 inches to 3 feet

Deep shade with full sun for Exposure

2 hrs. to 6+ hrs.

Good draining soil Cultural

Zone 10b to 11a

The leaves can cause contact dermatitis for a few minutes. There are many different cultivars.



Cordyline

Cordyline fruitosa 'Exotica' Up to 5 feet Height Exposure Part sun to shade Cultural Keep moist, sporadic

star-like flowers

8 to 10

Zone



Creeping Jenny

Lysimachia nummularaia

Height 2 to 6 inches tall, 3-foot spread

Exposure Full to part sun

Cultural Fast growers that can take over

Zone 3 to 10



Croton

Codiaeum 'Petra'

Height 1 to 3 feet
Exposure Full to part sun

Cultural Let dry out between watering

Zone 8 to 10

This plant is toxic to pets.



Diamond Frost

Euphorbia hybrid Height 1 to 2

Height 1 to 2 feet
Exposure Part to full sun

Cultural Drought tolerant, blooms

all season

Zone 10 to 11



Double impatiens

Impatiens walleriana Height 1 to 2 feet

Exposure Part sun to shade

Cultural Mounding and spreading annual

Zone 9 to 11



Flowering Maple | Abutilon x hybridum

Height 8 to 10 feet

Exposure Part shade to full sun 2 to 6+ hrs. Cultural Clay or loam soils; high organic

matter; moist, well draining soils

Zone 9b to 10a

Stems tend to be weak, so pinching back the stems will help promote a stronger stem. Skin

irritation can occur.



Foxglove

Digitalis ferruginea

Height 3 to 5 feet Exposure Part sun

Cultural Blooms May to July

Zone 4 to 8



Gaura Oenothera lindheimeri

2 to 5 feet Heiaht

Exposure

Part shade to full sun 2 to 6+ hrs. Cultural Sandy

5a to 9a Zone

Globe Amaranth Gomphrena globosa

1 to 4 feet Height Exposure Sun to part sun

Annual, keep moist Cultural

Zone 9 to 11



Glory Bush | Tibouchina urvilleana

Height 6 to 8 feet

Part shade to full sun 2 to 6+ hrs. Exposure

Cultural Moist, acidic, and high-organic matter soil

9b to 11a

Potential pests are scales, mealybugs, and nematodes.

Goldfish

Zone

Colummea gloriosa 1 to 2 feet Height Exposure Part sun

Well-drained soil, keep moist Cultural

Zone 9 to 11



Ixora or Jungle Geranium | Ixora coccinea

Height 4 to 6 feet

Exposure Full sun 2 to 6+ hrs.

Cultural Loamy soil; acidic pH; moist,

but good draining soil

Zone 10a to 11b

It is susceptible to scale, thrips, and mealybugs. It likes full sun but can tolerate shade in afternoon heat.



Lantana

Lantana camara

Height 1 to 6 feet
Exposure Full sun 6+hrs.
Cultural Clay, sandy

Zone 7a to 11a

The leaves can cause contact dermatitis.



Mexican Heather | Cuphea hyssopifolia

Height 1 to 2 feet

Exposure Part shade to full sun 2 to 6+ hrs.

Cultural Clay, Loam, or sandy soils; good draining soils

Zone 9a to 11b

It is resistant to some drought conditions,

along with high summer heat. It is

moderately salt tolerant.



Pigeon Berry

Duranta erecta

Height 4 to 6 feet

Exposure Part shade to full sun 2 to 6+ hrs.

Cultural Loose, well-drained soil

Zone 9b to 11a

Mature plants contain thorns on the stems.

It is very poisonous to humans and animals

if ingested.



Rock Trumpet Dipladenia

Mandevilla

Height 4 to 9 feet

Exposure Full sun

Cultural Rapid-growing vine

Zone 9 to 11 annual



Shrimp Plant

Beloperone justicia

Height 1 to 3 feet Exposure Part sun

Cultural Average watering

Zone 9 to 11



Silver Falls

Dichondra argentea

Height 2 to 6 inches, trails 48 inches

Exposure Part to full sun

Cultural Heat and drought tolerant

Zone 9 to 11



Sweet Potato Vine

Ipomoea batatas

Height 6 to 10 feet

Exposure Part shade to full sun 2 to 6+ hrs. Cultural Loam soil, high in organic matter

with good drainage

Zone 9a to 11b



Verbena

Verbena peruviana

Height 1 to 2 feet Exposure Full sun

Cultural Blooms spring to Fall

Zone 3 to 10



Wheat Celosia | Deeringia spicata 'Flamingo Feather'

Height 2 to 4 feet Exposure Full sun 6+ hrs.

Cultural Clay, Loam, or Sandy soils; good

drainage; acidic, alkaline, or

neutral soil pH

Zone 9 to 11

Withstands drought conditions once

established. Makes great cut or dried flowers.



White Porterweed

Stachytarpheta cayennensis

Height 1 to 4 feet

Cultural Acidic to alkaline soils

Zone 9b to 11

It has a high drought tolerance and it is considered an invasive species.



Wishbone flower

Torenia fournieri

Height .5 to 1 foot Exposure Part sun

Cultural Blooms June to frost,

keep moist

Zone 2 to 11







DISCOVER US IN ASHEBORO